JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 355 (1988)

AUTHOR INDEX

Albrecht, N., (355) 89
Alt, H.G., (355) 139, 437
Angelici, R.J., (355) 359
Aslan, H., (355) 79
Aumann, R., (355) 351

Bader, A., (355) 45
Baum, G., (355) 163
Baxter, P.N.W., (355) 193
Bayer, E., (355) 45
Beck, W., (355) 289
Bernhardt, W., (355) 427
Biagini, P., (355) 99
Bladon, P., (355) 449
Boag, N.M., (355) 385
Braunstein, P., (355) 533
Braunwarth, H., (355) 281
Brunner, H., (355) 449

Calderazzo, F., (355) 99
Connor, J.A., (355) 193

De Méric de Bellefon, C., (355) 533
Denzner, M., (355) 273
Deutsch, W., (355) 197
Dhaher, S.M.,(355) 33
Dörnhöfer, C., (355) 325
Dötz, K.H., (355) 177
Dusausoy, Y., (355) 533

Eaborn, C., (355) 33
Eder, R., (355) 449
Elschenbroich, C., (355) 163
Engelhardt, H.E., (355) 139
Erben, H.-G., (355) 177
Erker, G., (355) 121
Ettel, F., (355) 281

Felixberger, J.K., (355) 297
Fetz, A., (355) 495
Filippou, A.C., (355) 139, 437
Fischer, H., (355) 219
Fischer, R.D., (355) 79
Flöel, M., (355) 297
Förster, J., (355) 79
Fu, E., (355) 205

Gieren, A., (355) 197
Glaser, E., (355) 45
Granell, J., (355) 205
Green, M.L.H., (355) 205, 315
Guldner, K., (355) 419

Hachgenei, J.W., (355) 359
Harms, K., (355) 177
Hart, W.P., (355) 455
Hattingh, J.T.Z., (355) 337
Hayen, H.I., (355) 325
Herberhold, M., (355) 325
Herberich, G.E., (355) 473
Herdtweck, E., (355) 297, 437
Herrmann, W.A., (355) 297
Hertkorn, N., (355) 19
Hessner, B., (355) 473
Hörnig, H., (355) 243
Hostalek, M., (355) 473
Hughes, D.L., (355) 113
Huttner, G., (355) 281

Issleib, K., (355) 71

Jeffery, J.C., (355) 231
Johnson, B.F.G., (355) 419

Kaesz, H.D., (355) 385
Kampe, C.E., (355) 385
Kaschube, W., (355) 525
Kaub, J., (355) 149
Kaverin, V.V., (355) 485
King, Jr., A.D., (355) C1
King, R.B., (355) C1
Kletzin, H., (355) 401
Knobler, C.B., (355) 385
Knoch, F., (355) 495
Knüppel, P.C., (355) 55
Köhler, F.H., (355) 19
Kölle, P., (355) 7
Korek, U., (355) 121
Kreissl, F.R., (355) 267
Kreiter, C.G., (355) 149
Kron, J., (355) 243
Krouse, S.A., (355) 257
Kruger, G.J., (355) 337

Kulpe, J., (355) 297
Kunkely, H., (355) 1

Lappert, M.F., (355) 55
Leigh, G.J., (355) 113
Leissring, E., (355) 71
Lewis, J., (355) 419
Lindner, E., (355) 45
Linford, L., (355) 337
Linn, Jr., D.E., (355) C1
Linti, G., (355) 7
Lowe, N.D., (355) 315
Lowe, V.J., (355) 205

Mangeot, J.-P., (355) 533
Marais, C.F., (355) 337
Marder, S.R., (355) 205
Massa, W., (355) 163
Melchers, H.-D., (355) 351
Mellinghoff, H., (355) 163
Méric de Bellefon, C. de, (355) 533
Michael, G., (355) 149
Moll, M., (355) 495
Müller, G., (355) 177
Müller, J., (355) 513

Nagel, U., (355) 289
Nikanorov, V.A., (355) 485
Nöth, H., (355) 7

O'Hare, D., (355) 315
Oberhammer, H., (355) 55

Pampaloni, G., (355) 99
Pauson, P.L., (355) 449
Pawelke, G., (355) 55
Petersen, J.L., (355) 121
Pfleiderer, B., (355) 45
Pickardt, J., (355) 513
Polborn, K., (355) 7
Pörschke, K.R., (355) 525

Raubenheimer, H.G., (355) 337
Rausch, M.D., (355) 455
Reiner, J., (355) 379

Reutov, O.A., (355) 485
Riede, J., (355) 177, 219
Ries, M., (355) 533
Roder, K., (355) 401
Rooyen, P.H. van, (355) 337
Rozenberg, V.I., (355) 485
Ruiz, M.A., (355) 231
Ruiz-Perez, C., (355) 197

Saunders, G.C., (355) 205
Schmid, J., (355) 219
Schmidt, G.F., (355) 379
Schmidt, H., (355) 71
Schneider, J., (355) 163
Schrock, R.R., (355) 257
Schubert, U., (355) 243
Schumann, W., (355) 45
Schwarzhans, K.E., (355) 197
Schweiger, M.J., (355) 289
Sellmann, D., (355) 495
Sieber, W.J., (355) 385
Smith, J.D., (355) 33
Sommer, H., (355) 55
Staudacher, W., (355) 177
Stelzer, O., (355) 55
Stone, F.G.A., (355) 231
Struchkov, Yu.T., (355) 485
Suffolk, R.J., (355) 55
Süss-Fink, G., (355) 379

Tschampel, M., (355) 513
Tuddenham, M., (355) 205
Vahrenkamp, H., (355) 427
Van Rooyen, P.H., (355) 337
Vogler, A., (355) 1

Walker, D.G., (355) 113
Watts, J.D., (355) 55
Weiss, E., (355) 89
Weiss, K., (355) 273
Werner, H., (355) 401
Wilke, G., (355) 525
Wolfgruber, M., (355) 267
Wrackmeyer, B., (355) 325

Yanovsky, A.I., (355) 485
Yünlü, K., (355) 79
Yur'ev, V.P., (355) 485

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 355 (1988)

SUBJECT INDEX

Aluminium

(N,N,N',N'-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Arsenic

Arsinidene-bridged tri-, tetra- and penta-nuclear carbonylosmium clusters, synthesis and characterisation of (K. Guldner, B.F.G. Johnson, J. Lewis), (355) 419

Boron

(1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of $(C_5Me_5)Rh(C_4H_4B_2Cl_2)$ (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473

1,3,2,4-Diphosphadiborabicyclo[1.1.0]butanes, synthesis, structure of; formation of complexes from (P. Kölle, G. Linti, H. Nöth, K. Polborn), (355) 7

Cadmium

$[MCo_2(CO)_8]$ (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

Chromium

Acetylene as building block for carbene and vinylidene ligands on chromium (H.G. Alt, H.E. Engelhardt, A.C. Filippou), (355) 139

$\eta^{4:(2)}$-5*H*-Benzocycloheptenedicarbonyltrimethylphosphitechromium(0), an unusual electron-deficient complex (C.G. Kreiter, G. Michael, J. Kaub), (355) 149

Biphenylene as ligand in dia- and para-magnetic chromocenes (C. Elschenbroich, J. Schneider, W. Massa, G. Baum, H. Mellinghoff), (355) 163

Carbonylchromium photogenerated catalyst used in formate reduction of aldehydes (D.E. Linn, Jr., R.B. King, A.D. King, Jr.), (355) C1

Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177

Cobalt

(1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of $(C_5Me_5)Rh(C_4H_4B_2Cl_2)$ (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473

(η^5-Formylcyclopentadienyl)dicarbonylcobalt and (η^5-acetylcyclopentadienyl)dicarbonylcobalt, formation and reactions of (W.P. Hart, M.D. Rausch), (355) 455

Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427

$[MCo_2(CO)_8]$ (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

2-Phenyl-3*a*,4,5,6,7,7*a*-hexahydro-4,7-methanoindan-1-on optically pure complex, formation by the asymmetric Khand reaction of (P. Bladon, P.L. Pauson, H. Brunner, R. Eder), (355) 449

Triphenylstannyl-substituted mononuclear carbenecobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

Gold

Chemo- and stereo-selective reactions of $[Fe(CO)_2Cp]^+$ and $[AuPPh_3]^+$ with $[W(CO)_5\{C(OEt)(Ph)C(Ph)=C=S\}]^-$; crystal structures of *Z*-$[W(CO)_5\{C(SFe[CO]_2Cp)C(Ph)=C(OEt)Ph\}]$ and *E*-$[W(CO)_5\{S=C(AuPPh_3)C(Ph)=C(OEt)Ph\}]$ (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

Hafnium

(Di-η-cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a di-nuclear hafnium complex with Se_4 and O bridges (N. Albrecht, E. Weiss), (355) 89

η^2-Iminoacylmetallocene substituted ylides, isonitrile insertion into the M–C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121

Iridium

μ_2-η^2-Trimethylsilylethynyl-rhodium and -iridium complexes, synthesis, structure and reactivity of (J. Müller, M. Tschampel, J. Pickardt), (355) 513

Iron

Chemo- and stereo-selective reactions of $[Fe(CO)_2Cp]^+$ and $[AuPPh_3]^+$ with $[W(CO)_5\{C(OEt)(Ph)C(Ph)=C=S\}]^-$; crystal structures of *Z*-$[W(CO)_5\{C(SFe[CO]_2Cp)C(Ph)=C(OEt)Ph\}]$ and *E*-$[W(CO)_5\{S=C(AuPPh_3)C(Ph)=C(OEt)Ph\}]$ (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

(1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of $(C_5Me_5)Rh(C_4H_4B_2Cl_2)$ (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473

Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427

Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325

Trimethylenemethaneiron complexes, preparation by methylation of allenes with carbeneiron complexes (R. Aumann, H.-D. Melchers), (355) 351

$[W(\equiv CSiPh_3)(CO)_2(\eta\text{-}C_5H_5)]$, reactions of low valent metal species with; crystal structure of the ketenyl complex $[WFe\{\mu\text{-}C(SiPh_3)CO\}(CO)_5(\eta\text{-}C_5H_5)]$ (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

Magnesium

(*N,N,N',N'*-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Manganese

$[(C_5H_5)(CO)_2Mn]_2SePh^+$, electrocyclic ring opening of (H. Braunwarth, F. Ettel, G. Huttner), (355) 281

Mercury

$[MCo_2(CO)_8]$ (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

Metallocenes

Biphenylene as ligand in dia- and para-magnetic chromocenes (C. Elschenbroich, J. Schneider, W. Massa, G. Baum, H. Mellinghoff), (355) 163

η^2-Iminoacylmetallocene substituted ylides, isonitrile insertion into the M–C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121

Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325

$[Re(\eta^6\text{-}C_9H_8)(\eta^5\text{-}C_9H_7)]$, synthesis, characterisation and reactivity of, precursor to μ_2-η^3:η^5-indenyl derivatives (M.L.H. Green, N.D. Lowe, D. O'Hare), (355) 315

Molybdenum

Bipyridinedicarbonitrile-molybdenum and -tungsten complexes, preparation, characterisation and reactions of (P.N.W. Baxter, J.A. Connor), (355) 193

η^5-$C_5H_5(CO)_3Mo(\mu\text{-}\eta^1,\eta^2\text{-}CS_2)Mo(CO)_2\text{-}\eta^5\text{-}C_5H_5$, η^1,η^2-CS_2 bridged complex, structure of (W. Deutsch, A. Gieren, C. Ruiz-Perez, K.E. Schwarzhans), (355) 197

Di-η-cyclopentadienyl-molybdenum and -tungsten fragments, synthetic and electrochemical studies on electroactive ionophores based on (E. Fu, J. Granell, M.L.H. Green, V.J. Lowe, S.R. Marder, G.C. Saunders, M. Tuddenham), (355) 205

Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427

Pd_2Mo, PdPtMo and Pd_2W mixed-metal clusters containing $Ph_2PCH_2PPh_2$ (dppm), synthesis and reactivity of; molecular structure of $[Pd_2MoCl(\eta\text{-}C_5H_5)(\mu_3\text{-}CO)_2(\mu\text{-dppm})_2]$ (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533

Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177

Nickel

Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427

(*N,N,N′,N′*-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Osmium

Arsinidene-bridged tri-, tetra- and penta-nuclear carbonylosmium clusters, synthesis and characterisation of (K. Guldner, B.F.G. Johnson, J. Lewis), (355) 419

$[C_6R_6M(L)]$ (M = Ru, Os), inter- and intra-molecular C–H activation with (H. Werner, H. Kletzin, K. Roder), (355) 401

$M_3\{\mu\text{-}H,\mu\text{-}O{=}CNMe_2\}(CO)_{10}$ (M = Ru, Os), reaction with but-2-yne of; crystal and molecular structures of $M_3\{\eta^3\text{-}CH_2CHC(H)CH_3\}\{\mu\text{-}(CO),\mu\text{-}O{=}CNMe_2\}(CO)_8$ (M = Ru, Os) and $Ru_2\{\mu\text{-}O{=}CMe{-}CMe(\eta^2\text{-}CMe{=}CHMe\}\{\mu\text{-}O{=}CNMe_2\}(CO)_5$ (N.M. Boag, W.J. Sieber, C.E. Kampe, C.B. Knobler, H.D. Kaesz), (355) 385

Palladium

Pd_2Mo, PdPtMo and Pd_2W mixed-metal clusters containing $Ph_2PCH_2PPh_2$ (dppm), synthesis and reactivity of; molecular structure of $[Pd_2MoCl(\eta\text{-}C_5H_5)(\mu_3\text{-}CO)_2(\mu\text{-dppm})_2]$ (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533

Phosphorus

2-Aminoethylphosphines, cyclization behaviour of (K. Issleib, H. Schmidt, E. Leissring), (355) 71

[Bis(dimethylphosphino)ethane](trichloro)cyclopentadienyltitanium(IV), preparation and crystal structure of (D.L. Hughes, G.J. Leigh, D.G. Walker), (355) 113

Chemo- and stereo-selective reactions of $[Fe(CO)_2Cp]^+$ and $[AuPPh_3]^+$ with $[W(CO)_5\{C(OEt)\text{-}(Ph)C(Ph){=}C{=}S\}]^-$; crystal structures of *Z*-$[W(CO)_5\{C(SFe[CO]_2Cp)C(Ph){=}C(OEt)Ph\}]$ and *E*-$[W(CO)_5\{S{=}C(AuPPh_3)C(Ph){=}C(OEt)Ph\}]$ (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

Cyclopentanone-phospha-, -oxa-, -thia- or -aza-tungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267

1,3,2,4-Diphosphadiborabicyclo[1.1.0]butanes, synthesis, structure of; formation of complexes from (P. Kölle, G. Linti, H. Nöth, K. Polborn), (355) 7

Gaseous methylenebis(phosphane), $CH_2(PH_2)_2$, structural studies on (P.C. Knüppel, G. Pawelke, H. Sommer, O. Stelzer, H. Oberhammer, M.F. Lappert, R.J. Suffolk, J.D. Watts), (355) 55

η^2-Iminoacylmetallocene substituted ylides, isonitrile insertion into the M–C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121

Pd_2Mo, PdPtMo and Pd_2W mixed-metal clusters containing $Ph_2PCH_2PPh_2$ (dppm), synthesis and reactivity of; molecular structure of $[Pd_2MoCl(\eta\text{-}C_5H_5)(\mu_3\text{-}CO)_2(\mu\text{-dppm})_2]$ (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533

2-Phenyl-3*a*,4,5,6,7,7*a*-hexahydro-4,7-methanoindan-1-on optically pure complex, formation by the asymmetric Khand reaction of (P. Bladon, P.L. Pauson, H. Brunner, R. Eder), (355) 449

Rhodium(I), rhodium(II) and rhodium(III) complexes with *o*-benzene dithiolate(2 –), *o*-methylthiobenzene thiolate(1 –), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2 –), CO and PPh_3, synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495

Silylalkyl(ether-phosphanes), preparation, characterisation and reactions of (E. Lindner, A. Bader, E. Glaser, B. Pfleiderer, W. Schumann, E. Bayer), (355) 45

(*N,N,N′,N′*-Tetramethylethylene(diamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Triphenylstannyl-substituted mononuclear carbenecobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

Platinum

Pd_2Mo, PdPtMo and Pd_2W mixed-metal clusters containing $Ph_2PCH_2PPh_2$ (dppm), synthesis and reactivity of; molecular structure of $[Pd_2MoCl(\eta\text{-}C_5H_5)(\mu_3\text{-}CO)_2(\mu\text{-dppm})_2]$ (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533

Rhenium

π-Aromatic organorhenium oxides and halides, synthesis and structures of (W.A. Herrmann, M. Flöel, J. Kulpe, J.K. Felixberger, E. Herdtweck), (355) 297

Diacyl-bridged octacarbonyldirhenium complexes, stabilisation of an intermediate in decarbonylation of (M.J. Schweiger, U. Nagel, W. Beck), (355) 289

$[Re(\eta^6\text{-}C_9H_8)(\eta^5\text{-}C_9H_7)]$, synthesis, characterisation and reactivity of, precursor to $\mu_2\text{-}\eta^3:\eta^5$-indenyl derivatives (M.L.H. Green, N.D. Lowe, D. O'Hare), (355) 315

Rhodium

(1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of $(C_5Me_5)Rh(C_4H_4B_2Cl_2)$ (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473

(η^2-Ethylene)(4-methyl-4-*exo*-n-butyl-1-*anti*-η^2-methylene[(2,5-η^4-cyclohexadiene)rhodium-2,4-*O,O′*-pentanedionate])rhodium-2,4-*O,O′*-pentanedionate, crystal and molecular structure of (O.A. Reutov, V.A. Nikanorov, V.I. Rozenberg, A.I. Yanovsky, Yu.T. Struchkov, V.V. Kaverin, V.P. Yur'ev), (355) 485

Rhodium(I), rhodium(II) and rhodium(III) complexes with *o*-benzene dithiolate(2 −), *o*-methylthiobenzene thiolate(1 −), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2 −), CO and PPh_3, synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495

$\mu_2\text{-}\eta^2$-Trimethylsilylethynyl-rhodium and -iridium complexes, synthesis, structure and reactivity of (J. Müller, M. Tschampel, J. Pickardt), (355) 513

Ruthenium

$[C_6R_6M(L)]$ (M = Ru, Os), inter- and intra-molecular C–H activation with (H. Werner, H. Kletzin, K. Roder), (355) 401

Cyclopentadienyl-η^5-thiopheneruthenium cation, C–S bond cleavage and subsequent reactions of the butadiene-thiolate product of (J.W. Hachgenei, R.J Angelici), (355) 359

Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427

$[H_3Ru_4(CO)_{12}]^-$ as catalyst in hydrogenation and hydro-coupling of acetacetic amides and esters (G.F. Schmidt, J. Reiner, G. Süss-Fink), (355) 379

$M_3\{\mu\text{-}H,\mu\text{-}O{=}CNMe_2\}(CO)_{10}$ (M = Ru, Os), reaction with but-2-yne of; crystal and molecular structures of $M_3\{\eta^3\text{-}CH_2CHC(H)CH_3\}\{\mu\text{-}(CO),\mu\text{-}O{=}CNMe_2\}(CO)_8$ (M = Ru, Os) and $Ru_2\{\mu\text{-}O{=}CMe{=}CMe(\eta^2\text{-}CMe{=}CHMe\}\{\mu\text{-}O{=}CNMe_2\}(CO)_5$ (N.M. Boag, W.J. Sieber, C.E. Kampe, C.B. Knobler, H.D. Kaesz), (355) 385

Selenium

$[(C_5H_5)(CO)_2Mn]_2SePh^+$, electrocyclic ring opening of (H. Braunwarth, F. Ettel, G. Huttner), (355) 281

(Di-η-cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a dinuclear hafnium complex with Se_4 and O bridges (N. Albrecht, E. Weiss), (355) 89

Silicon

Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes $(CO)_5WC(XEt)SiPh_3$ (X = O, S) (U. Schubert, J. Kron, H. Hörnig), (355) 243

Silylalkyl(ether-phosphanes), preparation, characterisation and reactions of (E. Lindner, A. Bader, E. Glaser, B. Pfleiderer, W. Schumann, E. Bayer), (355) 45

[W(≡CSiPh$_3$)(CO)$_2$(η-C$_5$H$_5$)], reactions of low valent metal species with; crystal structure of the ketenyl complex [WFe{μ-C(SiPh$_3$)CO}(CO)$_5$(η-C$_5$H$_5$)] (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

Sulphur

η^5-C$_5$H$_5$(CO)$_3$Mo(μ-η^1,η^2-CS$_2$)Mo(CO)$_2$-η^5-C$_5$H$_5$, η^1,η^2-CS$_2$ bridged complex, structure of (W. Deutsch, A. Gieren, C. Ruiz-Perez, K.E. Schwarzhans), (355) 197

Chemo- and stereo-selective reactions of [Fe(CO)$_2$Cp]$^+$ and [AuPPh$_3$]$^+$ with [W(CO)$_5${C(OEt)-(Ph)C(Ph)=C=S}]$^-$; crystal structures of *Z*-[W(CO)$_5${C(SFe[CO]$_2$Cp)C(Ph)=C(OEt)Ph}] and *E*-[*W*(CO)$_5${S=C(AuPPh$_3$)C(Ph)=C(OEt)Ph}] (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

Cyclopentadienyl-η^5-thiophene:ruthenium cation, C–S bond cleavage and subsequent reactions of the butadiene-thiolate product of (J.W. Hachgenei, R.J Angelici), (355) 359

Cyclopentanone-phospha-, -oxa-, -thia- or -aza-tungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267

Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes (CO)$_5$WC(XEt)SiPh$_3$ (X = O, S) (U. Schubert, J. Kron, H. Hörnig), (355) 243

Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325

Rhodium(I), rhodium(II) and rhodium(III) complexes with *o*-benzene dithiolate(2 –), *o*-methylthiobenzene thiolate(1 –), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2 –), CO and PPh$_3$, synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495

Tin

Crowded organotin compounds, synthesis and properties of (S.M. Dhaher, C. Eaborn, J.D. Smith), (355) 33

Monostannylated derivatives of bicyclo[3.2.1]octa-2,6-dienes, selective metallation of (N. Hertkorn, F.H. Köhler), (355) 19

Triphenylstannyl-substituted mononuclear carbenecobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

Titanium

Arenetitanium(II) complexes, synthesis and reactivity of (P. Biagini, F. Calderazzo, G. Pampaloni), (355) 99

[Bis(dimethylphosphino)ethane](trichloro)cyclopentadienyltitanium(IV), preparation and crystal structure of (D.L. Hughes, G.J. Leigh, D.G. Walker), (355) 113

(Di-η-cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a dinuclear hafnium complex with Se$_4$ and O bridges (N. Albrecht, E. Weiss), (355) 89

Tungsten

μ-Benzylidenebis(pentacarbonyltungsten) complexes, thermolysis and reactions with alkynes of (H. Fischer, J. Schmid, J. Riede), (355) 219

Bipyridinedicarbonitrile-molybdenum and -tungsten complexes, preparation, characterisation and reactions of (P.N.W. Baxter, J.A. Connor), (355) 193

Carbynetungsten Fischer-type complexes, products of reactions with Phillips catalysts of (K. Weiss, M. Denzner), (355) 273

Chemo- and stereo-selective reactions of [Fe(CO)$_2$Cp]$^+$ and [AuPPh$_3$]$^+$ with [W(CO)$_5${C(OEt)-(Ph)C(Ph)=C=S}]$^-$; crystal structures of *Z*-[W(CO)$_5${C(SFe[CO]$_2$Cp)C(Ph)=C(OEt)Ph}] and *E*-[*W*(CO)$_5${S=C(AuPPh$_3$)C(Ph)=C(OEt)Ph}] (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

Cyclopentanone-phospha-, -oxa-, -thia- or -aza-tungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267

Di-η-cyclopentadienyl-molybdenum and -tungsten fragments, synthetic and electrochemical studies on electroactive ionophores based on (E. Fu, J. Granell, M.L.H. Green, V.J. Lowe, S.R. Marder, G.C. Saunders, M. Tuddenham), (355) 205

Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes (CO)$_5$WC(XEt)SiPh$_3$ (X = O, S) (U. Schubert, J. Kron, H. Hörnig), (355) 243

trans-$(Me_3CO)_3W{\equiv}CCH{=}CHC{\equiv}W(OCMe_3)_3$, *cis,cis*-$(Me_3CO)_2W{\equiv}CCH{=}CHC{\equiv}CCH{=}CHC{\equiv}W(OCMe_3)_3$, and related metal-capped ene-ynes, synthesis and evaluation as catalysts for preparing polydiacetylenes of (S.A. Krouse, R.R. Schrock), (355) 257

Pd_2Mo, PdPtMo and Pd_2W mixed-metal clusters containing $Ph_2PCH_2PPh_2$ (dppm), synthesis and reactivity of; molecular structure of $[Pd_2MoCl(\eta\text{-}C_5H_5)(\mu_3\text{-}CO)_2(\mu\text{-dppm})_2]$ (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533

Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177

$[W(\equiv CSiPh_3)(CO)_2(\eta\text{-}C_5H_5)]$, reactions of low valent metal species with; crystal structure of the ketenyl complex $[WFe\{\mu\text{-}C(SiPh_3)CO\}(CO)_5(\eta\text{-}C_5H_5)]$ (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

Uranium

Organouranium(IV) pseudo salts containing $(C_5H_5)_3U$ and one loosely coordinated tetraphenylborate or triphenylmethylborate unit (H. Aslan, J. Förster, K. Yünlü, R.D. Fischer), (355) 79

Zinc

$[MCo_2(CO)_8]$ (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

Zirconium

(Di-η-cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a dinuclear hafnium complex with Se_4 and O bridges (N. Albrecht, E. Weiss), (355) 89

η^2-Iminoacylmetallocene substituted ylides, isonitrile insertion into the M–C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121